

Features



- Fanless Design
- Intel® Atom™ Processor D2550
- Onboard 2GB DDR3 (Default), Option 4G
- 11~32V DC wide-ranging power input
- Total 6 sides IP65
- 5-Wire Resistive Touch Screen



Specifications



System

Processor	Intel® Atom Processor D2550 (1M Cache, 1.8 GHz)
System Chipset	Intel NM10 Express
System Memory	Onboard DDR3 2GB(Default), option 4G

IO Port

Standard M12 I/O Connector	1 x M12 8pin for USB 1/2
	1 x M12 8pin for USB 3/4
	1 x M12 8pin for COM 1/RS-232/422/485 (Default RS-232)
	1 x M12 8pin for COM 2/RS-232
	1 x M12 8pin for LAN
	1 x M12 3pin DC Power

Storage Space

HDD	1 x 2.5" HDD space
-----	--------------------

Expansion

On board expansion bus	1 x Mini PCIe half size Option WLAN/BT Module and Antenna at rear side
------------------------	---


Display

Display Type	15" TFT-LCD
Max. Resolution	1024 x 768
Max. Color	16M
Luminance (cd/m ²)	400
View Angle	160/145
Contrast	800:1
Backlight Lifetime	50,000

Touch Screen

Type	Resistive Touch
Interface	Default RS-232
Light transmission (%)	80%

Dimensions



Power

Power input	11~32V DC
-------------	-----------

Mechanical

Construction	Stainless Steel
IP Rating	Total 6 sides IP65
Mounting	VESA 75 x 75
Dimension (mm)	399 x 324 x 52.5
Net Weight (Kgs)	6.7

Environmental

Operating temperature(°C)	0~50°C (with HDD) -20~60°C (with Industrial Storage)
Storage temperature(°C)	-20°C ~ 60°C
Storage humidity	10 to 90% @ 40°C, non-condensing
Certification	CE/FCC class A

Operating System Support

Microsoft Windows 7 pro for embedded, Windows embedded standard 7

Ordering information

APC-3597B-01	15" XGA IP65 Intel Atom D2550 fanless panel PC, 2G DDR3 memory, 2.5" SATA2 320GB HDD, DC power input with adaptor, stainless steel enclosure
--------------	--