





外觀圖






AIR FLOW



外觀同標準品, 變更大標

NOTE:




1. ALL THE LENGTH OF OUTPUT
WIRES EXCLUDE HOUSING.



P/N.:9PA10A2902

UNIT:mm

MODEL NO. : FSP1000-50AAG(F860001)	TITLE: ASSY	SHEET: 1 OF 3	REV:01
R&D(2)	PE	DRAWN	DATE
周書宇			FEB.01.2018
INTERIOR COUNTERSIGN:			



UNIT:mm

MODEL NO. : FSP1000-50AAG

TITLE: ASSY

SHEET: 2 OF 3

REV:01

REF. ID.	PIN NO.	SIGNAL	WIRE COLOR	GAUGE	CONNECTOR TYPE	CABLE LENGTH
P1 / 24	1	+3.3VDC	ORANGE	18	WST	650±15mm
	2	+3.3VDC	ORANGE	18	P20-	
	3	COM	BALCK	18	142002K11D+	
	4	+5V	RED	18	P4-	
	5	+5Vsense	RED	22	142002K11D or EQUIV.	
	6	+5V	RED	18		
	7	COM	BALCK	18		
	8	PW-OK	GRAY	22		
	9	+5Vsb	PURPLE	18		
	10	+12V2	YELLOW	18		
	11	+12Vsense	YELLOW	18		
	12	+3.3VDC	ORANGE	18		650±15mm
	13	+3.3VDC	BROWN	22		
	14	-12VDC	BLUE	22		
	15	COM	BALCK	18		
	16	PS-ON	GREEN	22		
	17	COM	BALCK	18		
	18	COM	BALCK	18		
	19	COM	BALCK	18		
	20					
	21	+5V	RED	18		
	22	+5V	RED	18		
P2	23	+5V	RED	18		650±15mm
	24	COM	BALCK	18		
	1	COM	BALCK	18	WST	
	2	COM	BALCK	18	P4-	
	3	COM	BALCK	18	142002K3B+	
P3	4	COM	BALCK	18	P4-	650±15mm
	5	+12V	YELLOW	18	142002K4B or EQUIV.	
	6	+12V	YELLOW	18		
	7	+12V	YELLOW	18		
	8	+12V	YELLOW	18		
P4	1	+12V	YELLOW	18	WST	650±15mm
	2	+12V	YELLOW	18	P8-142002	
	3	+12V	YELLOW	18	K21B-B or EQUIV.	
P5	4	COM	BALCK	18	(Black)	
P6	5	COM	BALCK	18		
P7	6	COM	BALCK	18		
	7	COM	BALCK	18		
	8	COM	BALCK	18		

REF. ID.	PIN NO.	SIGNAL	WIRE COLOR	GAUGE	CONNECTOR TYPE	CABLE LENGTH
P8 P12 P16	1	+3.3VDC	ORANGE	18	MOLEX	500±15mm
	2	COM	BALCK	18	SD-67582	
	3	+5V	RED	18	-001	
	4	COM	BALCK	18	or EQUIV.	
	5	+12V	YELLOW	18		
P9 P10 P11	1	+3.3VDC	ORANGE	18	MOLEX	100±10mm
	2	COM	BALCK	18	SD-67582	
	3	+5V	RED	18	-001	
	4	COM	BALCK	18	or EQUIV.	
	5	+12V	YELLOW	18		
P13 P14 P15	1	+3.3VDC	ORANGE	18	MOLEX	100±10mm
	2	COM	BALCK	18	SD-67582	
	3	+5V	RED	18	-001	
	4	COM	BALCK	18	or EQUIV.	
	5	+12V	YELLOW	18		
P17 P18 P19	1	+3.3VDC	ORANGE	18	MOLEX	100±10mm
	2	COM	BALCK	18	SD-67582	
	3	+5V	RED	18	-001	
	4	COM	BALCK	18	or EQUIV.	
	5	+12V	YELLOW	18		

REF. ID.	PIN NO.	SIGNAL	WIRE COLOR	GAUGE	CONNECTOR TYPE	CABLE LENGTH
P20 P24 P28 P32	1	+12V	YELLOW	18	AMP	500±15mm
	2	COM	BALCK	18	1-480424-0	
	3	COM	BALCK	18	or EQUIV.	
	4	+5V	RED	18		
P21 P22 P23	1	+12V	YELLOW	18	AMP	100±10mm
	2	COM	BALCK	18	1-480424-0	
	3	COM	BALCK	18	or EQUIV.	
	4	+5V	RED	18		
P25 P26 P27	1	+12V	YELLOW	18	AMP	100±10mm
	2	COM	BALCK	18	1-480424-0	
	3	COM	BALCK	18	or EQUIV.	
	4	+5V	RED	18		
P29 P30 P33 P34	1	+12V	YELLOW	18	AMP	100±10mm
	2	COM	BALCK	18	1-480424-0	
	3	COM	BALCK	18	or EQUIV.	
	4	+5V	RED	18		
P31 P35	1	+5V	RED	22	AMP	100±10mm
	2	COM	BALCK	22	171822-4	
	3	COM	BALCK	22	or EQUIV.	
	4	+12V	YELLOW	22		

UNIT:mm

MODEL NO. : FSP1000-50AAG

TITLE: ASSY

SHEET: 3 OF 3

REV:01