



# TYPE APPROVAL CERTIFICATE

Certificate No:  
**TAA000014Y**  
Revision No:  
**2**

## This is to certify:

**That the Personal Computer**

with type designation(s)  
**Marine Panel PC 15"/19"/24"/26" Flat PCAP Touchscreen**

Issued to  
**WinMate Inc.**  
**New Taipei City, Taiwan**

is found to comply with  
**IEC 60945 Ed. 4 (2002-08) Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results**  
**DNV rules for classification – Ships**

## Application :

**Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.**

<b>Temperature</b>	<b>B</b>
<b>Humidity</b>	<b>A</b>
<b>Vibration</b>	<b>A</b>
<b>EMC</b>	<b>B</b>
<b>Enclosure</b>	<b>IP 66 (front panel)</b>

Issued at **Hamburg** on **2022-04-13**

for **DNV**

This Certificate is valid until **2027-04-06**.

DNV local station: **Kaohsiung**

Approval Engineer: **Holger Jansen**

.....  
**Joannis Papanuskas**  
**Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



### Product description

Marine Panel PC 15"/19"/24"/26" PCAP touch screen, Intel 5th @ Generation Core™ i5-5200U 2.2GHz

Model	Type Designation
R15IH3S-MRYYYY	15" Marine Panel PC
R19IH3S-MRYYYY	19" Marine Panel PC
W24IH3S-MRYYYY	24" Marine Panel PC
W26IH3S-MRYYYY	26" Marine Panel PC

Marine Display 15"/19"/24"/26" Flat PCAP Touchscreen

Model	Type Designation
R15LXXX-MRYYYY	15" Marine Display
R19LXXX-MRYYYY	19" Marine Display
W24LXXX-MRYYYY	24" Marine Display
W26LXXX-MRYYYY	26" Marine Display

XXX = 0~9

base on product size and panel size of LCD

YYYY= A~Z,a~z,0~9,"-"

Blank or Slash for marketing purpose only, no impact safety related constructions or critical components

### Application/Limitation

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV Rules for Ships Pt.4 Ch.9 Control and Monitoring Systems.

### Product certificate

Each delivery of the application system is to be certified according to Pt.4 Ch.9 Sec.1. The certification test is to be performed at the manufacturer of the application system according to an approved test program before the system is shipped to the yard. After the certification the clause for application software control will be put into force.

### Clause for application software control

All changes in software are to be recorded as long as the system is in use on board. The records of all changes are to be forwarded to DNV for evaluation and approval. Major changes in the software are to be approved before being installed in the computer.

### Compass safe distances for all models:

- Standard Compass Safe Distance: 115 cm
- Steering Compass Safe Distance: 80 cm

### Type Approval documentation

Test Reports:

- |                          |                  |
|--------------------------|------------------|
| • 16-08-VAA-108          | dated 26-09-2016 |
| • 16-08-BAD-017-01L      | dated 08-08-2016 |
| • E1/2016/70121 Rev. 00  | dated 29-09-2016 |
| • 16-05-EAT-009-E00      | dated 03-09-2016 |
| • VS-V-050705-01         | dated 05-07-2016 |
| • 160216001C             | dated 14-07-2016 |
| • 2210296R-E3012400010-1 | dated 02-03-2022 |

Users Manual:

Document Part Number: 9152111102B

for Models

R15L600-MRA3FP	Version 1.1
R19L300-MRA1FP	Version 1.1
W24L100-MRA1FP	Version 1.1
W26L100-MRA1FP	Version 1.1

Document Part Number: 9152111102A

for Models

R15IH3S-MRA3FP	Version 1.1
R19IH3S-MRA1FP	Version 1.1
W24IH3S-MRA1FP	Version 1.1
W26IH3S-MRA1FP	Version 1.1

Data Sheets:

15" Flat P-CAP Marine Panel PC:	
Model No. R15IH3S-MRA3FP	dated 17-03-2017 V1.6
Model No. R15L600-MRA3FP	dated 17-03-2017 V1.7
19" Flat P-CAP Marine Panel PC	
Model No. R19IH3S-MRA1FP	dated 17-03-2017 V1.5
Model No. R19L300-MRA1FP	dated 17-03-2017 V1.5
24" Flat P-CAP Marine Panel PC	
Model No. W24IH3S-MRA1FP	dated 17-03-2017 V1.5
Model No. W24L100-MRA1FP	dated 17-03-2017 V1.4
26" Flat P-CAP Marine Panel PC	
Model No. W26IH3S-MRA1FP	dated 17-03-2017 V1.4
Model No. W26L100-MRA1FP	dated 17-03-2017 V1.5

Type Approval Assessment Report 2022-04-07

### Tests carried out

Applicable tests according to Class Guideline DNV-CG-0339, August 2021, also covering IACS Unified Requirements E10.

Tested as protected equipment according to relevant parts of IEC 60945, 4<sup>th</sup> edition. For the bridge mounted components the 'Acoustic noise and signals' and the 'Compass safe distance' were measured according to sections 11.1 and 11.2 of IEC 60945, 4<sup>th</sup> edition (2002) including Corrigendum 1 (2008).

### Marking of product

The products to be marked with:

- Manufacturer name
- Model name
- Serial number

### Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate.

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE