



M133WK Series

Ultra-Rugged Windows Tablet

Intel® Core™ i5-8265U, 1.60 GHz (Up to 3.90 GHz)

Windows® 10 IoT Enterprise



Quick Start Guide

Version 1.3
Document Part No. 91521110106X

Please read these instructions carefully before using this product, and save this manual for future use.

Contents

Chapter 1: Read Me First.....	2
1.1 Advisory Conventions	2
1.2 Safety Information.....	3
1.3 Handling and Maintenance	5
Chapter 2: Getting Started	6
2.1 Unpacking.....	6
2.2 Description of Parts	7
2.3 Mechanical Dimensions.....	8
2.4 Combination Keys (Keyboard Key Emulation)	9
2.5 LED Indicators	9
Chapter 3: First-Time Operation	10
3.1 Inserting SIM Card.....	10
3.2 Inserting Battery Pack.....	10
3.3 Connecting to Power Supply.....	11
3.4 Kickstand Installation	12
3.5 Turning On and Off	12
3.5.1 Turning On	12
3.5.2 Turning Off	12
Chapter 4: Using Hottab Utility	13
4.1 Hottab Utility Introduction.....	13
4.2 Changing Touch Mode	14
4.3 Using Battery Hot-Swap Function.....	15
Chapter 5: Frequently Used Settings	16
5.1 Basic Troubleshooting	16
Appendix.....	17
Appendix A: Hardware Specifications.....	17
Appendix B: Docking Connector Pin Definition	18

Chapter 1: Read Me First

1.1 Advisory Conventions

Four types of advisories are used throughout the user manual to provide helpful information or to alert you to the potential for hardware damage or personal injury.



Note:

A note is used to emphasize helpful information



Important:

An important note indicates information that is important for you to know.



Caution A Caution alert indicates potential damage to hardware and explains how to avoid the potential problem.

Attention Une alerte d'attention indique un dommage possible à l'équipement et explique comment éviter le problème potentiel.



Warning! An Electrical Shock Warning indicates the potential harm from electrical hazards and how to avoid the potential problem.

Avertissement! Un Avertissement de Choc Électrique indique le potentiel de choc sur des emplacements électriques et comment éviter ces problèmes.

FCC Statement



This device complies with part 15 FCC rules.

Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interference received including interference that may cause undesired operation

This equipment has been tested and found to comply with the limits for a class "B" digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

CE Notice (European Union)

This equipment is in conformity with the requirement of the following EU legislations and harmonized standards. Product also complies with the Council direction



Electromagnetic Compatibility Directive (2014/30/EU)

- EN55024: 2010/ A1: 2015
 - IEC61000-4-2: 2009
 - IEC61000-4-3: 2006+A1: 2007+A2: 2010
 - IEC61000-4-4: 2012
 - IEC61000-4-5: 2014
 - IEC61000-4-6: 2014
 - IEC61000-4-8: 2010
 - IEC61000-4-11: 2004
- EN55032: 2012/AC:2013
- EN61000-3-2:2014
- EN61000-3-3:2013

Low Voltage Directive (2014/35/EU)

- EN 60950-1:2006/A11:2009/A1:2010/A12:2011/ A2:2013

1.2 Safety Information



Precaution on Battery Pack Précaution avec le bloc-pile

Do Not Disassemble, Modify, or Insert Sharp Objects Into the Battery Pack. Electrolyte leakage, generation of heat, ignition or rupture may result.
[FR] Ne pas démonter, modifier, ou insérer des objets pointus à l'intérieur du bloc-pile. Une fuite d'électrolyte, la génération de chaleur, l'amorçage ou la rupture peuvent être occasionnés.

Do Not Short the Positive (+) and Negative (-) Terminals of the Battery. Generation of heat, ignition or rupture may result. When carrying or storing the device, do not place the battery pack together with articles that may contact electricity.
[FR] Ne pas court-circuiter les bornes Positive (+) et Négative (-) de la pile, la génération de chaleur, l'amorçage ou la rupture peuvent être occasionnés. Lors du transport et du rangement de l'appareil, ne pas placer le bloc-pile en même temps que des articles pouvant créer un contact électrique.

Do Not Apply Shocks to the Battery by Dropping It or Applying Strong Pressure to It. Electrolyte leakage, generation of heat, ignition or rupture of battery may occurs.
[FR] Ne pas faire subir de choc à la pile en la laissant tomber ou en appliquant une forte pression dessus. Une fuite d'électrolyte, la génération de chaleur, l'amorçage ou la rupture peuvent être occasionnés.

Do Not Charge the Battery Other Than Methods Those Specified In This Manual. If the battery is not charged using one of the specified methods, electrolyte leakage, generation of heat, ignition or rupture may result.
[FR] Ne pas charger la pile par d'autres méthodes que celles spécifiées dans ce manuel. Si la pile n'est pas chargée en utilisant l'une des méthodes spécifiées, une fuite d'électrolyte, la génération de chaleur, l'amorçage ou la rupture peuvent être occasionnés.

When the Battery Pack Has Deteriorated, Replace It with a New Battery. Continued use of a damaged battery pack may result in heat generation, ignition or battery rupture.
[FR] Lorsque la pile est détériorée, la remplacer par une nouvelle pile. L'utilisation continue d'une pile endommagée peut occasionner une génération de chaleur, l'amorçage ou la rupture de la pile.

Do Not Expose the Battery Pack to Excessive Heat, or Extreme Heat (Near Fire, in Direct Sunlight for example) Generation of heat, ignition or rupture may result

[FR] Ne pas exposer le bloc-pile à une Chaleur Excessive, ou une Chaleur Extrême (Près d'un feu, sous la lumière du soleil par exemple) Une production de chaleur, l'amorçage ou la rupture peuvent être occasionnés

Do Not Use the Battery Pack With Any Other Products. The battery pack is rechargeable and is only designed for this specific product. If it is used with a product other than the specified product, electrolyte leakage, generation of heat, ignition or rupture may result.

[FR] Ne pas utiliser avec un autre produit La batterie est rechargeable et a été conçue pour un produit spécifique. Si elle est utilisée sur un produit différent

de celui pour lequel elle a été conçue, des pertes d'électrolytes et une production de chaleur sont possibles, elle risque également de prendre feu ou de casser.

Do Not Use This Product With Battery Other Than the One Specified.

[FR] Ne pas utiliser ce produit avec une batterie autre que celle spécifiée

Discontinue using device immediately if you notice the battery is swelling, or looks puffy or misshapen. Do not attempt to charge or use the device. Do not handle a damaged or leaking battery. Do not let leaking battery fluid come into contact with your eyes, skin or clothing.

[FR] Si vous remarquez une pile gonflée, élargie ou anormale, cesser l'utilisation de l'appareil immédiatement. N'essayez pas de recharger l'appareil ou de l'utiliser. Ne pas manipuler une pile qui fuit ou qui est endommagée. Ne laissez pas de liquide qui fuit entrer en contact avec vos yeux, votre peau ou vos vêtements.



General Product Safety Sécurité générale des produits

- Do not block any ventilation openings. Do not place the product against a wall or in an enclosed space as doing so might impede the flow of cooling air.
- [FR] *Ne pas bloquer les ouvertures de ventilation. Ne pas placer le produit contre un mur ou dans un espace clos de façon à entraver la circulation de l'air de refroidissement.*
- Do not place the product near any heat sources such as radiators, warm air intakes, stoves or other heat-generating devices (including amplifiers or other heat producing equipment).
- [FR] *Ne pas placer le produit près d'une source de chaleur comme des radiateurs, les arrivées d'air chaud, poèles ou autres produits générant de la chaleur (y compris les amplificateurs ou autre équipement produisant de la chaleur.)*
- Protect the power cord from being crushed or pinched, particularly in the area of the plugs, any receptacles used, and the point of exit from the apparatus. Do not break off the ground pin of the power cord.
- [FR] *Empêcher le cordon d'alimentation d'être écrasé ou pincé, en particulier dans les zones de prises, des containers utilisés, et du point de sortie de l'appareil. Ne pas casser la broche de terre du cordon d'alimentation.*
- Do not disregard the safety that a polarized or grounded connection can provide. A polarized connection consists of two plugs, one of which is larger than the other. A grounded connection has two blades and a third one that is grounded. If the main plug provided cannot be inserted into your outlet, consult an electrician to replace your obsolete outlet.
- [FR] *Ne pas ignorer la sécurité qu'une prise polarisée ou une prise de terre peut prévoir. Une prise polarisée se compose de deux fiches, dont l'une est plus large que l'autre. Une prise de terre possède deux lames et une troisième qui est la terre. Si la fiche principale fournie ne peut être insérée dans votre prise, consultez un électricien pour remplacer votre prise obsolète.*
- Use only accessories specified by the manufacturer.
[FR] Utiliser uniquement les accessoires spécifiés par le fabricant.
- This product should not be used near water such as bathtubs, sinks, swimming pools, wet basement, etc.
[FR] Ce produit ne doit pas être utilisé près de l'eau comme les baignoires, les éviers, les piscines, les sous-sols humides, etc.

- Use only with its transport carriage, stand, tripod, console or table specified by the manufacturer or sold with the product. When using a carriage, move the carriage assembly with the product carefully to avoid damage from falling over.
- [FR] *Utiliser uniquement avec son chariot de transport, support, trépied, console ou table spécifiés par le fabricant ou vendu avec le produit. Lors de l'utilisation d'un chariot, déplacez l'ensemble chariot avec le produit avec soin pour éviter tout dommage de chute.*
- Unplug this apparatus during lightning storms or when it is not being used for long periods.
- [FR] *Débrancher cet appareil durant les orages ou lorsqu'il n'est pas utilisé pendant de longues périodes.*
- Refer all servicing to qualified service personnel. A technical intervention is required when the apparatus has been damaged in any way, for example if the power cord or plug is damaged, liquid has been spilled or objects have fallen inside the unit, if the product has been exposed to rain or moisture, if it does not operate normally or if it has been dropped.
- [FR] *Confier toute réparation à du personnel qualifié. Une intervention technique est nécessaire lorsque l'appareil a été endommagé de quelque façon, par exemple si le cordon d'alimentation ou la fiche est endommagé, du liquide a été renversé ou des objets sont tombés à l'intérieur de l'unité, si le produit a été exposé à la pluie ou à l'humidité, s'il ne fonctionne pas normalement ou s'il a été jeté.*



General Guideline Directive générale

It is recommended to reboot the device when some functions are defect or inactive. If it still can't solve the problems please contact your dealer or agent.

Il est recommandé de redémarrer l'appareil lorsque certaines fonctions sont défectueuses ou inactives. Si le problème persiste, veuillez contacter votre revendeur ou votre agent.

1.3 Handling and Maintenance



General Guideline Guide Général

Keep the product at least 13 cm (5 inches) away from electrical appliances that can generate a strong magnetic field such as TV, refrigerator, motor, or a large audio speaker.

[FR] Garder le produit au moins à 13 cm (5 pouces) de distance des appareils électriques qui peuvent générer un fort champ magnétique comme une télévision, un réfrigérateur, un moteur, ou un important haut-parleur.

Do not place heavy objects on top of the tablet computer as this may damage the display.

[FR] Ne pas placer d'objets lourds sur le dessus de l'ordinateur tablette cela peut endommager l'écran.

The screen surface can be easily scratched. Use with care. Do not use paper towels to clean the display but use the included cleaning cloth. Avoid touching it with a pen or pencil.

[FR] La surface de l'écran peut être facilement rayée. Utiliser avec précaution. Ne pas utiliser de serviette en papier pour nettoyer l'écran mais utiliser le chiffon de nettoyage inclus. Éviter de toucher avec un stylo ou un crayon.

To maximize the life of the backlight in the display, allow backlight to automatically turn off as a result of power management. Avoid using a screen saver or other software that prevents the power management from working.

[FR] Pour maximiser la durée de vie du rétroéclairage de l'écran, autoriser le rétroéclairage résultant de la gestion de l'alimentation. Éviter d'utiliser un économiseur d'écran ou un autre logiciel empêchant la gestion de l'alimentation de fonctionner.



Cleaning Guideline Guide de nettoyage

Use a soft cloth moistened with water or a non-alkaline detergent to wipe the exterior of the product.

[FR] Utiliser un chiffon doux humidifié avec de l'eau ou un détergent non alcalin pour essuyer l'extérieur du produit.

Gently wipe the display with a soft, lint-free cloth. Do not use alcohol or detergent on the product.

[FR] Essuyer délicatement l'écran avec un chiffon doux non pelucheux. Ne pas utiliser d'alcool ou un détergent sur le produit.



Touchscreen Guideline Guide de l'écran tactile

Use your finger or the stylus on the display. Using sharp or metallic object may cause scratches and damage the display, thereby causing errors.

[FR] Utiliser votre doigt ou le stylet sur l'écran. L'utilisation d'un objet pointu ou métallique peut provoquer des rayures.

Use a soft cloth to remove dirt on the display. The touchscreen surface has a special protective coating that prevents dirt from sticking to it. Not using a soft cloth may cause damage to the special protective coating on the touchscreen surface. To clean off hard to remove dirt, blow some steam on the particular area and gently wipe away using a soft cloth.

[FR] Utiliser un chiffon doux pour enlever la poussière sur l'écran. La surface de l'écran tactile a un revêtement protecteur spécial empêchant la saleté de se coller à lui. Ne pas utiliser un chiffon doux peut endommager le revêtement spécial sur la surface de l'écran tactile. Pour nettoyer les saletés plus difficiles à enlever, souffler de la buée sur la zone particulière et essuyer doucement avec un chiffon doux.

Do not use excessive force on the display. Avoid placing objects on top of the display as this may cause the glass to break.

[FR] Ne pas utiliser une force excessive sur l'écran. Éviter de placer des objets au dessus de l'écran cela pourrait provoquer une cassure du verre.

When there is a noticeable discrepancy in the operation of the touchscreen function (your touch does not correlate to the proper location on the screen), recalibrate the touchscreen display.

[FR] Lorsqu'il y a un écart sensible dans le fonctionnement de l'écran tactile (votre contact ne correspond pas à la bonne position sur l'écran), recalibrer l'écran tactile.

Chapter 2: Getting Started

Congratulations on purchasing Winmate® M133K Ultra-Rugged Tablet Computer. The rugged design allows you to use it in harsh outdoor environments.

This quick start guide tells you step by step how to get the Tablet Computer up and running.

2.1 Unpacking

Check and identify the supplied accessories:

- **Rugged Tablet Computer**



- **Standard Battery**




- **Power Adapter**




- **Power Cord and Plugs**
Varies by country



- **Stylus**



- **Quick Start Guide & Driver CD**




- **Stand with Integrated Handle**

Your package may include other optional accessories based on your order.

- **VESA Mounting Kit**
- **VESA Mounting Kit 2**



- **RAM Mounting Kit**
- **Vehicle Charger**

2.2 Description of Parts




No	Item	Description
1	13.3" PCAP Touchscreen	1920 x 1080 resolution, supports Glove/ Rain/ Stylus mode.
2	Protection Rubber	Protects tablet from drops.
3	Speakers	Emit sounds.
4	Power Button	Turns on/off tablet computer.
5	LED Indicators:	Show the current status of the tablet computer.
	RF	Green – WLAN/ BT/ 4G LTE /GPS is ON. No light - None of WLAN/ BT/ 4G LTE/ GPS is ON.
	HDD	Green – Hard drive activity. No light – Hard drive idling.
	Battery	Orange – AC adapter is plugged in and charging. Green – AC adapter is plugged in and battery is completely charged. Solid Red - Low battery (<10%). Blinking Red – Battery is being hot swapped. Not lit – Battery is in use and more than 10%.
	Power	Blue – Tablet is ON. No light – Tablet is OFF.
6	Logo	Displays brand name or logo.
7	Fn Buttons	Programmable function buttons: F1, F2, F3.
8	+/- Buttons	Brightness control buttons.
9	Menu Button	HotTab quick access.
10	USB 3.0 Type A	High speed USB ports, connects to USB devices such as USB flash drive, mouse, keyboard, printer, etc.
11	USB 3.0 Type A	High speed USB ports, connects to USB devices such as USB flash drive, mouse, keyboard, printer, etc.
12	USB 3.0 Type-C (Gen1)	USB Type-C connector to connect to external devices. Note: The USB Type-C connector follows USB 3.0 standard, which does not support Alternate Mode (ALT) or USB Power Delivery (USB-PD).
13	SD Card Slot	Memory card reader port for SD card.

No	Item	Description
14	Two USB 3.0 Type A	High speed USB ports, connects to USB devices such as USB flash drive, mouse, keyboard, printer, etc.
15	RJ45-10/100/1000 Mbps LAN	Provides connection to the Ethernet (LAN) networks.
16	Power Jack	DC power input jack 19 V DC.
17	I/O Cover	Protects I/O ports.
18	Kensington Lock Port	Provides lock access for Kensington Lock.
19	Stylus	Use as an input.
20	Kickstand Handle (Side View)	User-adjustable 180° kickstand handle.
21	Battery	User-replaceable battery 15.4V, typ. 5900 mAh Li-ion Battery (4S1P)
22	Service Window	Access to 2 SSD M.2 slots, 1 WWAN mPCIe slot, and Micro SIM Slot.
23	Kickstand Handle	User-adjustable 180° kickstand handle.
24	Battery Lock Latch	Latch to lock the battery once battery is inserted. Not spring-loaded.
25	Battery Release Slider	Spring-loaded slider that latches the battery in.
26	Docking Connector	Docking connector to connect docking accessories.

Front LED Indicators Detail:**Docking Connector Detail:****Front Button Details:**

2.3 Mechanical Dimensions

Unit: mm



2.4 Combination Keys (Keyboard Key Emulation)

Physical buttons in addition to its dedicated functions can also be used to emulate commonly used keyboard key strokes. Under different scenario, a single physical button or a combination of physical buttons provide different keyboard key strokes, which are specified below:

Under POST (Before Windows boots up):

Buttons	Keystroke
Fn1	F6 to enter Recovery Menu
Fn2	Esc to enter BIOS setup screen
Fn3	Keyboard F3
Up (+)	Up
Down (-)	Down
Menu + Fn1	Enter
Menu + Volume Up (+)	Right
Menu + Volume Down (-)	Left

Under Windows:

Buttons	Keystroke
Menu	Hottab Quick Access
Fn1	Default: Web Browser
Fn2	Default: Notepad
Fn3	Open Calculator
Up (+)	Increase brightness
Down (-)	Decrease brightness
Power	Power ON/ OFF
Volume Up (+) + Volume Down (-)	Ctrl + Alt + Del

2.5 LED Indicators

LED Indicators (Power, Battery, Disk Activity, RF Communications) are located at the front side of the M133WK Ultra Rugged Tablet.

Item	Icon	Description
Power Indicator		Blue – Tablet is ON No light – Tablet is OFF
Battery Status		Orange –AC adapter is plugged in and charging Green –AC adapter is plugged in and battery is full charged Solid Red - Low battery (<10%) Blinking Red – Battery is being hot swapped. No light – Battery is in use and more than 10%
Disk Activity Indicator		Green - Disk Activity No light - Disk Idling
RF Communications		Green - One of WLAN/BT/WWAN/GPS is ON No light - WLAN/BT/WWAN/GPS are all OFF

Chapter 3: First-Time Operation

3.1 Inserting SIM Card

Notice that 4G LTE is an optional feature and may not be present in your device. The Tablet Computer supports data connection using 4G LTE SIM cards and fits a Micro-SIM card.





Caution Please make sure the tablet is powered off, before opening up the service window to insert the SIM card.

Attention Veuillez vous assurer que la tablette est hors tension avant d'ouvrir la fenêtre de service pour insérer la carte SIM.

Perform the following to install the SIM card into your Tablet Computer:


1. Disconnect any cords connected to the tablet computer.
2. Remove the service window in the rear by unscrewing four screws.
3. Remove the screw that is securing the 4G LTE module.
4. Carefully lift the 4G LTE wireless module up, and be cautious not to damage the connected cable.
5. Make sure the SIM card IC contact patch is faced down; notch is in the direction of insertion (towards right).
6. Insert the 4G LTE SIM card into the slot located near the right side of the service window.
7. Reposition the removed 4G LTE module screw to secure the 4G LTE module.
8. Reposition the removed service window screw to secure the service window.



3.2 Inserting Battery Pack

To insert the included standard battery pack into the Tablet Computer:

1. Disconnect any cords connected to the tablet computer.
2. Turn the tablet computer over, back facing up.
3. Locate the Battery Lock Latch and push it to the “Unlocked” position.
4. Locate the Battery Release Slider that is spring-loaded. Pull back and hold.
5. Insert the battery on the connector-pins side first, and then lower the battery into the battery compartment.
6. Continue to hold the Battery Release Slider before battery is fully inserted.
7. Make sure the battery is completely lowered into the compartment before letting go the Battery Release Slider.
8. Battery will be flat against the housing once fully inserted.



To remove the battery pack:

1. Shut down the tablet computer (or put it to sleep). Disconnect all the cords.
2. Turn the tablet computer over, back facing up.
3. Locate the Battery Lock Latch and push it to the “Unlocked” position.
4. Locate the Battery Release Slider that is spring-loaded. Pull back and hold.
5. Lift the battery out using the opening on side of battery compartment.

3.3 Connecting to Power Supply

The Tablet Computer operates either on external AC power or internal battery power. It is recommended to use AC power when you start up the Tablet Computer for the first time.





Caution Use only the AC adapter included with your Tablet Computer. Using other AC adapters may damage the Tablet Computer and the Battery.

Attention N'utilisez que l'adaptateur secteur fourni avec votre ordinateur tablette. L'utilisation d'autres adaptateurs secteur peut endommager l'ordinateur tablette et la batterie.

Perform the following to connect the Tablet computer to AC Power:


1. On the side of the Tablet Computer, lift the I/O protective cover by pulling on the latch
2. Plug the DC cord of the AC adapter into the Power Jack of the tablet computer.
3. Plug the AC power cord into the AC adapter.
4. Finally, plug the AC power cord into the electrical outlet.




When the AC Adapter is connected, the battery pack starts charging. The battery LED indicator on the tablet computer will show different states. Please refer to description of the LED indicator in the Description of Parts.

3.4 Kickstand Installation

The M133WK Series Ultra Rugged Tablet has an integrated kickstand. The user can adjust the kickstand for variable positioning on any surface. The kickstand can also act as an ergonomic handle for easy carrying. To use as a handle simply adjust the kickstand to the topmost position.



Adjusting Kickstand Position 180°



Handle Position

3.5 Turning On and Off

3.5.1 Turning On

Press and hold the power button for **3 seconds** until the blue LED power indicator light up.

Note:



- Do not press the power button repeatedly.
- Do not perform the following operations until the Disk Activity Indicator off
 - Connecting or disconnecting the AC adapter
 - Pressing the power button
 - Touching the tablet buttons, screen, or external keyboard/mouse

3.5.2 Turning Off

Perform the following procedure to power off the Tablet Computer:

1. Make sure you have closed any programs that are open on the Desktop. Start Screen apps don't need to be closed.
2. Tap on the **Settings** charm.
3. Tap on **Power**.
4. Tap on **Shut Down**.
5. Wait for Tablet Computer to power off.




Note: If system does not respond, please forcibly turn the tablet computer off by pressing and holding the power button for **6 seconds or longer**.

Chapter 4: Using Hottab Utility

4.1 Hottab Utility Introduction

Hottab provides quick access to the tablet's functions and features, such as setting up powering on/off built-in devices, programming function key. As operating system starts up, Hottab starts and runs in the background. To display the Hottab, press  (Menu) Button located on the front panel, or launch the Hottab application.

 (Menu) Button on the Front Panel:



Hottab Icon:



The main user interface is located on the most right of the screen. There are 6 main menu options: Shortcuts, Camera, Devices Control, Setting, Light Sensor and Touch Mode. Operations and functions on each menu options are explained in detail in the user manual. Please refer to the download center on our website to download the file.

Icon	Description
	Allows users to configure short cut to quickly access programs with a few tabs.
	Enables/disables tablet computer's hardware functions. The configurable functions are WLAN, WWAN (4G LTE), GPS, Bluetooth, LED indicators, and GPS Antenna routing options.
	Provides users information such as PC Information, Battery status, and also device settings such as power management setting, and function key mappings.
	Allows users to change touch mode settings: Hand/ Rain, Stylus, Glove.
	Shows main battery current status.
	Press On to show backup battery status. If your device doesn't have backup battery then you will see X icon next to main battery status.

4.2 Changing Touch Mode

The M133K ultra-rugged tablet supports three built-in operating modes, for users to choose under different usage scenarios, when any mode is chosen; the background of the icon will become green.

Mode	Description
 Hand/Rain (Default)	In <i>Hand/ Rain</i> mode the touchscreen rejects false inputs from liquid drops. When the liquid is removed, the touchscreen accepts touch inputs from bare fingertips. <i>Supports input by:</i> <ul style="list-style-type: none">• <i>Rubber tip passive stylus</i>• <i>Bare fingertips</i>
 Stylus	In <i>Stylus</i> mode, the touchscreen supports inputs from the fine-tip passive capacitive stylus (shipped with tablet). <i>Support input by:</i> <ul style="list-style-type: none">• <i>Fine-tip passive stylus with palm rejection</i>• <i>Rubber tip passive stylus</i>• <i>Bare fingertips</i>
 Glove	In <i>Glove</i> mode, the touchscreen supports inputs while the user is operating the touchscreen with gloves on. <i>Supports input by:</i> <ul style="list-style-type: none">• <i>Glove</i>• <i>Rubber tip passive stylus</i>• <i>Bare fingertips</i>

Changing Touchscreen Mode in HotTab

1. Open HotTab utility by pressing  (Menu) Button located on the front panel or launch the HotTab Utility application.
2. Click on **Devices ON/OFF**.
3. Click on **Touch Set** .
4. Select the desired touch modes by tapping on the button.
5. Now the touchscreen mode would behave as configured.

4.3 Using Battery Hot-Swap Function


The M133WK Tablet Computer supports hot-swap of batteries, meaning that you may replace the main battery while tablet is running.

To do the battery hot-swap battery, perform the following procedure:

1. Open the HotTab utility by press the  (Menu) Button located on the front panel, or launch the HotTab Utility application.
2. Tap on the **Devices ON/OFF** button.
3. Check the status color of the Hot-Swap Battery icon:

Item	Status Color	Description
	Orange	Hot-Swap Battery is enabled.
Hot-Swap Bat	White	Hot-Swap Battery is disabled.

4. If the Hot-Swap Battery feature is disabled (white), tap on the Hot-Swap Battery icon to enable it (orange). Now you can use the Hot-Swap Battery feature.
5. When the Hot-Swap Battery is enabled, you will see the Warning Message on the screen. Please follow instructions, and click **Apply**.



Chapter 5: Frequently Used Settings

5.1 Basic Troubleshooting

Problem	Solution
The removable battery is not charging.	<ul style="list-style-type: none"> Make sure the AC adapter is properly connected, and that the removable battery is properly inserted.
Nothing appears on the screen.	<ul style="list-style-type: none"> The tablet computer may be in sleep mode. Press the power button to wake up the display. The brightness level may be too low. Increase brightness.
The screen suddenly turns blank and the power indicator goes off.	<ul style="list-style-type: none"> Make sure that LED indicator is not powered off in HotTab. Make sure the AC adapter is properly connected. If running on battery power, the battery may be depleted, charge the battery.
Wireless LAN signal quality is poor.	<ul style="list-style-type: none"> The tablet computer may be out of range. Move the tablet computer closer to the access point or another wireless LAN device associated with it. Check if your surroundings have interferences, such as microwave ovens, cordless phones. Move the tablet away from objects causing interference.
I cannot connect to another wireless LAN device.	<ul style="list-style-type: none"> Make sure that wireless LAN feature is powered on. Make sure that the SSID setting is the same for every wireless LAN device in the network. Restart the tablet computer. Make sure the IP address or subnet mask setting is correct.
I cannot connect to another device with Bluetooth.	<ul style="list-style-type: none"> Make sure that both devices have Bluetooth powered on in HotTab). Make sure that the distance between the two devices is within 10 meters and there are no walls or large obstructions between the devices. Make sure the both devices are powered on and configured to be discoverable. Make sure that both devices are compatible.
The GPS cannot find my location.	<ul style="list-style-type: none"> Make sure that GPS is powered on in HotTab. Make sure that GPS receiver and the location sensor are enabled in Control Panel. The tablet computer may be out of coverage area. Move your tablet computer outdoors or closer to a window. Move the tablet computer away from objects causing interference.
No sound is produced.	<ul style="list-style-type: none"> Adjust volume of the tablet computer by pressing on the volume rocker. If using an external audio device, make sure that the cable is properly connected.
I cannot project the tablet computer display to another monitor.	<ul style="list-style-type: none"> Make sure the VGA driver is installed. Make sure the output setting selected is correct.
I am having GPS accuracy issue	<ul style="list-style-type: none"> When using the GPS, we recommend disabling the Barcode Reader in HotTab to reduce interference.

Appendix

Appendix A: Hardware Specifications

Model Name	M133WK
Display Specifications	
Size	13.3-inch
Resolution	1920 x 1080
Brightness	500 nits with Optical Bonding
Touch	Multi-touch Projected Capacitive with Glove/Rain/Stylus Modes Support
Contrast Ratio	1000:1
Viewing Angle	89/89/89/89
Technology	<ul style="list-style-type: none"> • Anti-glare technology (Default) • Intel HD Graphics (built-in CPU) video controller
System Specifications	
Processor	Intel® Core™ i5-8265U, 1.60 GHz (up to 3.90 GHz)
System Memory	4 GB SODIMM DDR4-2400 (up to 16 GB)
Storage	1 x 128 GB M.2 SSD (up to 512 GB)
Operating System	Windows 10 IoT Enterprise
Wireless Communications	
WLAN	802.11 a/b/g/n/ac
Bluetooth	4G LTE (Optional)
Bluetooth	Bluetooth 5.0
GNSS	GPS/GLONASS (Optional)
Interface	
Docking Connector	1 x Docking connector
HDMI	1 x RJ45-10/100/1000 Mbps LAN
USB	4 x USB 3.0 Type A
USB Type-C	1 x USB 3.1 Type-C (Gen1)
Power Input	1 x Power Jack (DC Input)
SD	1 x SDXC Slot
Service Window	Access to SSD + 2 x WiFi
Keyboard and Input	
Touch	10-point multi-touch, support Hand / Gloves, Rain Mode, and Stylus Mode
Buttons	On-screen keyboard 7 membrane keys: 1 x power, 1 x menu, 3 x function key (Programmable function key)
Audio	
Microphone	1 x built-in Digital Mic with Noise Cancellation
Speaker	2 x 1 watt speaker
Security Function	
Security	<ul style="list-style-type: none"> • Trusted Platform Module (TPM) V2.0 • Kensington lock slot
Power Management	
Power Input	19 V DC
Battery	15.4 V, typ. 5900 mAh Li-ion Battery
Battery Operating Time	More than 10 hours (BAPCo MobileMark2014)
Adapter	100-240V, 50-60Hz / 19V DC

Model Name	M133WK
Mechanical and Environment	
Dimension (W x L x H)	338.2 x 240 x 30 mm (13.3 x 9.4 x 1.18 inches)
Housing	Rear Magnesium Alloy Die-Casting Design
Cooling System	Fanless thermal design
Weight	2.2 Kg (With Kickstand)
Operating Temperature	-10°C to 50°C (14°F to 122°F)
Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Humidity	30% to 80% RH, non-condensing
IP Rating	IP65
Shock	MIL-STD-810G Method 516.6 Procedure I
Vibration	MIL-STD-810G Method 514.6 Procedure I
Drop	MIL-STD-810G Method 516.6, 4 ft
Certifications	
Certifications	CE, FCC

Appendix B: Docking Connector Pin Definition

The M133WK Tablet Computer supports one docking connector located at the bottom side. The pin definition is listed as the following table.



Docking Connector			
Pin No.	Description	Pin No.	Description
1	DOCK_A_DET	26	MDI3_IN-_DK
2	AUGND	27	MDI3_IN+_DK
3	AZ_HP_L	28	GND
4	AZ_HP_R	29	MDI2_IN-_DK
5	LINE2_JD	30	MDI2_IN+_DK
6	EXT_AZ_MIC_L	31	GND
7	+V3.3S	32	MDI1_IN-_DK
8	NC	33	MDI1_IN+_DK
9	USB2_HDMI_DN	34	GND
10	USB2_HDMI_DP	35	MDI0_IN-_DK
11	NC	36	MDI0_IN+_DK
12	NC	37	GND
13	NC	38	MB.Dock.Det#
14	NC	39	GND
15	NC	40	USB3_P3_DEV_TXN_R
16	NC	41	USB3_P3_DEV_TXP_R
17	NC	42	USB3_P3_DEV_RXN_R
18	NC	43	USB3_P3_DEV_RXP_R
19	NC	44	USB3.Dock_DM
20	NC	45	USB3.Dock_DP
21	NC	46	NC
22	NC	47	DOCK_B_DET
23	NC	48	NC
24	DOCK_PWR	49	DOCK_PWR
25	DOCK_PWR	50	DOCK_PWR



Winmate Inc.
9F, No.111-6, Shing-De Rd., San-Chung District,
New Taipei City 24158, Taiwan, R.O.C
www.winmate.com

Copyright © 2022 Winmate Inc. All rights reserved.

