

S5R1

2U Active Air Cooler

PRODUCT SPECIFICATIONS

Model Number: S5R1

- Recommend for Intel® CPU as following
 - Intel® Sapphire Rapids Proessors, Socket FCLGA 4677
- Active Cooler for 2U Server & Up


Overall Specification

Dimension	118 x 82 x 67 mm
Weight	470 g
Material	5 Heatpipes with Aluminum Fin Base and Aluminum Fin Stack
Fan	6025 Side-blow fan with PWM Function
Mounting Method	Intel LGA 4677 standard Mounting Kits
Package Carrier	PHM Package Carrier is included
Thermal Grease	SHIT-ETSU 7762 pre-printed
TDP	Support CPU Power up to 350 Watts Heat Dissipation

Cooling Fan Specification


Model Number	DF126025BU-PWMH
Dimension	60 x 60 x 25 mm
Bearing	Double Ball
Rated Voltage	12V
Rated Speed	At Duty Cycle 0~20%: 2300± 200 RPM At Duty Cycle 50%: 5400± 10% RPM At Duty Cycle 100%: 11000±10% RPM
Input Power	At Duty Cycle 0~20%: 0.84 W At Duty Cycle 50%: 2.76 W At Duty Cycle 100%: 18.0 W
Maximum Airflow	At Duty Cycle 0~20%: 11.91 CFM At Duty Cycle 50%: 28.38 CFM At Duty Cycle 100%: 58.31 CFM
Rated Static Pressure	At Duty Cycle 0~20%: 1.48 mm-H2O At Duty Cycle 50%: 7.54 mm-H2O At Duty Cycle 100%: 28.8 mm-H2O
Acoustical Noise	At Duty Cycle 0~20%: 25.8 dBA At Duty Cycle 50%: 44.4 dBA At Duty Cycle 100%: 59.8 dBA
Lead Wire Pin Out	Pin#1- Black(-) Pin#2- Yellow(+) Pin#3- Green(Tachometer/ Signal Output)

S5R1 | Socket LGA 4677




Performance Chart: Active Cooler S5R1 Thermal Resistance


Active Cooler S5R1 Cooling Performance vs. Airflow



S5R1 | Socket LGA 4677

Active Cooler S5R1 Cooling Performance vs. Fan Speed





REV#	DESCRIPTION	CHECKER	DATE
0.0	INITIAL RELEASE	JUN	08/07/23

	NAME	DATE
DRAWN BY	JUN	8/7/2023
CHECKED BY	JUN	8/7/2023
ENG.APPROVED		
MFG.APPROVED		


**DYNATRON CORPORATION**

TOP MOTOR

TITLE:

2U AIR COOLER S5R1
OVERALL DIMENSION DRAWING

CONFIDENTIAL DOCUMENT
THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO DYNATRON CORPORATION AND DYNAEON INDUSTRIAL CO., LTD. ANY REPRODUCTION, DISCLOSURE, OR USE OF THIS DRAWING IS EXPRESSLY PROHIBITED EXCEPT AS DYNATRON CORPORATION AND DYNAEON INDUSTRIAL CO., LTD. MAY OTHERWISE AGREE TO IN WRITING.

VIEW		DWG. No:	REV.
UNITS	MM	DYN-BD-S5R1	0.0



CONFIDENTIAL DOCUMENT

THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO DYNATRON CORPORATION AND DYNAEON INDUSTRIAL CO., LTD. ANY REPRODUCTION, DISCLOSURE, OR USE OF THIS DRAWING IS EXPRESSLY PROHIBITED EXCEPT AS DYNATRON CORPORATION AND DYNAEON INDUSTRIAL CO., LTD. MAY OTHERWISE AGREE TO IN WRITING.

ASSEMBLY PARTS

WHOLE SET OF HEATSINK

REV#	DESCRIPTION	CHECKER	DATE
0.0	INITIAL RELEASE	LANG	02/25/2021
1.0	CHANGE FAN COVER MATERIAL, D-8 UPDATE COOLING FAN DESIGN, D-1	LANG	08/09/2022



NOTES:

- THE FIGURE IS FOR REFERENCE ONLY, AND NOT FOR SCALE
- OVERALL DIMENSION : 118 x 82 x 66 mm
- OVERALL WEIGHT : 470 g

7	FAN BRACKET	SPCC	1
6	FAN, DF126025BU-PWM	PLASTIC	1
5	THERMAL GREASE, PRE-PRINTED	SHIN-ETSU 7762	1
4	INTEL PACKAGE CARRIER	PLASTIC	1
3	SCREW, FAN MOUNTING	STEEL	4
2	HEATSINK, with STACKED FINS	HEAT PIPES ALUMINUM BASE ALUMINUM STACKED FIN	1
1	ANTI-TILT ROTATING WIRE ASSEMBLY SET	PLASTIC NUT AND CAPTIVATION STEEL ROTATING WIRE	4
ITEM#	DESCRIPTION	MATERIAL	QTY.

	DATE	NAME	 DYNATRON CORPORATION
DRAWN	08/09/2022	Engr	TITLE:
CHECKED	08/09/2022	LANG	2U Server Active Cooler Model S5R1
ENG. APPR.			BOM & Exploded Assembly Drawing
MFG. APPR.			
Q.A.			
COMMENTS:			DWG. No: DYN-EP-S5R1 REV 1.0